



Color :  White

UPC Code : 078477043035

Country Of Origin : Mexico

NEMA :  5-20R

Available Colors :



CC2X3-W

Decora® 30W Fast USB Outlet, Dual Type C Charging Ports, 20A Receptacle - White

20 Amp, 125 Volt Decora® Tamper Resistant Outlet, 30W (6.0 Amp) USB Charger with 15W Dual Type C Ports, Back and Side Wire NEMA 5-20R Receptacle, White

- **FAST CHARGING** – Dual USB C ports deliver up to 15W per port for phones, tablets, and accessories (30W total); consistent power whether one or two devices are connected
- **UNIVERSAL COMPATIBILITY** – Use with iPhone, iPad, Samsung Galaxy, Android phones, tablets, smartwatches, e-readers, Bluetooth accessories, cameras, and more
- **EASY UPDATE** – Replaces a standard outlet in existing boxes to modernize any room; pairs perfectly with Decora wallplates (sold separately) for a seamless finish
- **SECURE CHARGING** – Regulates power for safe, reliable charging; tamper-resistant shutters enhance child safety, and noise-free charge-only USB ports help safeguard your data
- **REDUCE THE CLUTTER** – Charge multiple devices at once to free up your outlets; eliminates bulky USB adapters for a clean setup for bedside or other locations
- **TRUSTED QUALITY** – Built by a brand with 120+ years of electrical expertise; made in North America for reliable, long-lasting performance

Technical Information

Electrical Specifications

Amperage : 20 A

Dielectric Voltage : 1250 VAC

Grounding : Grounding

Horsepower Rating : 1 hp

Pole(s) : 2

Power Supply Input and

Frequency : 125V, 60Hz

Temperature Rise : Max 30°C

Voltage : 125 VAC

Wire(s) : 3

Environmental Specifications

Flammability Rating : V-0

Operating Temperature :
Maximum Continuous 40°C,
Minimum -10°C (w/o impact)

Material Specifications

Body Material : Thermoplastic

Face Material : Thermoplastic

Line Contacts : Brass

Mounting Strap : Galvanized Steel

TR Shutter : Thermoplastic

Mechanical Specifications

Product ID : Ratings are marked on device

Screw Terminal Torque : 14-18 lbs.

Termination : Back and Side Wire

Wire Accomodation : #12-#10
AWG Copper Solid or
Stranded, #10 AWG Copper
Clad

Product Features

Brand : Decora

Color : White

Device Type : Fast Charging
USB Wall Outlets

Feature(s) : Tamper Resistant

Grade : Residential
/Commercial Specification
Grade

NEMA Configuration : 5-20R

Product Type : USB
Receptacle Outlet

USB Power Delivery : No

USB Type : Dual Type C

USB Wattage : 30 W

Warranty

Warranty : 1-Year Limited

Standards and Certifications

Applicable Standards &

Certifications : FCC Part 15
Class B, cCSAus Listed, NOM,
UL 1310, UL 498, UL 1310


NEMA : WD-1 and WD-6

Patents*

US8242362	CA2624409
US7355117	US7820909
US7868719	US8944859
US9543667	US9368982
CA2869845	US9496726
CA2677283	CA2621644
MX338817	

This list is provided for patent marking purposes only. A good faith effort is made to maintain the accuracy and completeness of this list. No legal inference should be drawn from the omission of a patent from this list.

Dimensional Drawing



SPECIFICATION SUBMITTAL

JOB NAME: JOB NUMBER:	CATALOG NUMBERS: <table border="1"> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>				

Leviton Manufacturing Co., Inc

201 North Service Road, Melville, NY 11747

Telephone: +1-800-323-8920 · FAX: +1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.

T. Monday-Friday): +1-800-824-3005

Leviton Manufacturing of Canada, Ltd.

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: +1-800-461-2002 ·

FAX: +1-800-824-3005 ·

Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)

5386- 1797 ·

Visit our Website at: www.leviton.com

© 2026 Leviton Manufacturing Co., Inc. All Rights Reserved. Subject to change without notice.

Leviton has a global presence.

If you would like to know where your local Leviton office is located please go to:

www.leviton.com/company/about-leviton/locations

© 2026 Leviton Manufacturing Co., Inc.